QSAR TOOLBOX

The OECD QSAR Toolbox for Grouping Chemicals into Categories

User manual

Toolbox 3.4 Client-Server Installation



QSAR Toolbox User Manual Toolbox 3.4 Client-Server Installation

Document history

Version	Comment
Version 1.0	February 2011: version 1.0 of installation notes for server version 1.0.2 of QSAR Toolbox
Version 1.1	July 2011: Updated document for Toolbox server ver. 1.1.0
Version 1.2	March 2012: Updated document for Toolbox server ver. 1.2
Version 1.3	October 2012: Updated document for Toolbox server ver. 3.0
Version 1.4	October 2013: Updated document for Toolbox server ver. 3.2
Version 1.5	September 2014: Updated document for Toolbox server ver. 3.3
Version 1.6	June 2016 Updated document for Toolbox server ver. 3.4 , no content changes

Issue date: June 2016 **Language:** English

If you have questions or comments that relate to this document, please send them to ehscont@oecd.org or visit the QSAR Toolbox discussion forum at https://community.oecd.org/community/toolbox forum



QSAR Toolbox User Manual Toolbox 3.4 Client-Server Installation

Table of Contents

1	Introduction	4
2	Requirements	4
3	Installed components	4
3.1	Firebird installation	4
3 2	Toolhoy Server installation	5

QSAR TOOLBOX

QSAR Toolbox User Manual
Toolbox 3.4 Client-Server Installation

1 Introduction

This document provides a summary description of the installation procedure of the QSAR Toolbox Server (version 3.x) set-up kit on a local PC operating Microsoft® Windows®. It is recommended to use Server versions of Windows OS.

2 Requirements

It is recommended to use an up-to-date PC with a quad core processor running at 2GHz or faster, 12 Gigabyte of hard disc space for storage and 4 Gigabyte of RAM to operate. Note: the hard drive's file system should be NTFS as FAT32 only supports file sizes less then 4GB and the Toolbox database is larger than 10GB.

In order to run this installation you will need administrator rights on your local PC. However, once installed, normal user rights will be sufficient for running the application provided that the application has read/write access to the folder that contains the database.

3 Installed components

The following components will be installed on your PC if they are not already available:

- The database manager Firebird.
- The Toolbox Server application

The two components are in effect two distinct setup packages. They can be started using the StartInstall.exe control application located in the root folder of the installation package. Once started it will provide buttons for installing Firebird and the Toolbox Server as well as a link to the server configuration manual.

3.1 Firebird installation

Firebird installation instructions can be found in the main folder of the installation package – FirebirdInstallation.pdf.

QSAR TOOLBOX

QSAR Toolbox User Manual Toolbox 3.4 Client-Server Installation

3.2 Toolbox Server installation

The Toolbox Server installation is a Windows Installer package that deploys the server application and the database that serves as a repository for Toolbox data, profiling caches etc. The installer wizard asks for a Destination folder - this is where the server application is placed - and Database folder - this is where the database file is to be

installed.

Once you have started the installation it will perform a check if Firebird is present. If no such service is present in the system you will be presented with a notification and the installer will continue the installation. You will need to install Firebird before using the

server.

The database resides in the setup package as a compressed file. It will be extracted using a windows installer Custom Action.

Final notes

1. The Server application does not remove the database file when it is uninstalled. There is no reliable way to establish if a database has "changed" since the Firebird engine opens the file read/write even if the user does not import databases. It is the responsibility of the user who uninstalls the Toolbox Server to delete the database file.

2. The Toolbox Server uses DCOM for communication with the client applications. DCOM needs to be properly configured in order for the server to work. Please make sure you read the Toolbox 3.4 Client-Server configuration

manual.PDF.

OECD

2, rue André Pascal 75775 Paris Cedex 16 France

Tel.: +33 1 45 24 82 00 Fax: +33 1 45 24 85 00

ehscont@oecd.org